

Printing date 24.05.2019

Revision: 24.05.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND info@sct-germany.de
- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. • Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labelling:
- Poly(methyl methacrylate) maleic acid triallyl cyanurate
- cumene
- · Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H317 May cause an allergic skin reaction.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.

(Contd. on page 2)

GB

GERMANY

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 24.05.2019

Printing date 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

(Contd. of page 1) P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P330 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Labelling of packages where the contents do not exceed 125 ml · Hazard pictograms GHS07 Signal word Warning · Hazard-determining components of labelling: Poly(methyl methacrylate) maleic acid triallyl cyanurate cumene · Hazard statements H302+H332 Harmful if swallowed or if inhaled. May cause an allergic skin reaction. H317 Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P280 Wear protective gloves. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 9011-14-7 Poly(methyl methacrylate)

EC number: 618-466-4 Acute Tox. 4, H302; Acute Tox. 4, H332

(Contd. on page 3)

70-82%

GB -



Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

	(Contro	l. of page 2 <u>)</u>
CAS: 101-37-1	triallyl cyanurate	1–8%
EINECS: 202-936-7	Acute Tox. 4, H302	
CAS: 94108-97-1	2-[[2,2-bis[[(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3- propanediyl diacrylate	1–6%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 110-16-7	maleic acid	0–1%
EINECS: 203-742-5	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 98-82-8	cumene	0–1%
EINECS: 202-704-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; STOT SE 3, H335	
· Not dangerous sub	stances	
CAS: 137-16-6 EINECS: 205-281-5	Sodium N-lauroylsarcosinate	0–1%
CAS: 131356-66-6	CAS: 131356-66-6 1,4-Naphthalenedione, 2-[4-(diethylamino)-2-hydroxyphenyl]- 0-	
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

· For safety reasons unsuitable extinguishing agents: Water

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)



Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

(Contd. of page 3)

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Wear protective clothing.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

98-82-8 cumene (1.0%)

WEL Short-term value: 250 mg/m³, 50 ppm Long-term value: 125 mg/m³, 25 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)

GB



Printing date 24.05.2019

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

(Contd. of page 4)

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

	haminal memories
9.1 Information on basic physical and c General Information	nemical properties
Appearance:	
Form:	Liquid
Colour:	Red
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.



Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

	(Contd. of particular to the contd. of particular to the contd. of the c	ge {
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0–1 %	
VOC (EC)	0–1 %	
Solids content:	71–92 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde

Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

· LD/LC50 values relevant for classification:

MANNOL 9926 Fix-Gewinde hochfest 50ml

Oral LD50 557–706 mg/kg

Inhalative LC50/4 h 13.4–15.7 mg/l

101-37-1 triallyl cyanurate

Oral LD50 590 mg/kg (rat)

(Contd. on page 7)

GB -



Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

			(Contd. of page 6)
Dermal	LD50	8,600 mg/kg (rat)	
110-16-7 n	110-16-7 maleic acid		
Oral	LD50	708 mg/kg (rat)	
Dermal	LD50	1,560 mg/kg (rabbit)	
98-82-8 ci	98-82-8 cumene		
Oral	LD50	1,400 mg/kg (rat)	
Dermal	LD50	12,300 mg/kg (rabbit)	
Inhalative	LC50/4 h	24.7 mg/l (mouse)	

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP6 Acute Toxicity

(Contd. on page 8)

GΒ

Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

(Contd. of page 7)

• Uncleaned packaging:
 • Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN2810
· 14.2 UN proper shipping name · ADR	2810 TOXIC LIQUID, ORGANIC, N.O.S. (trially cyanurate, Poly(methyl methacrylate))
· IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S. (trially cyanurate, Poly(methyl methacrylate))
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
¹ 14.6 Special precautions for user	Warning: Toxic substances.
· Danger code (Kemler): · EMS Number:	60 E A S A
· EMS NUMBER: · Stowage Category	F-A,S-A A
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Anno	
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum pet quantity per inper peakaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· Transport category	2
Tunnel restriction code	E
·IMDG	
 Limited quantities (LQ) 	5L





Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

	(Contd. of page 8)
 Excepted quantities (EQ) 	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (TRIALLYL CYANURATE, POLY(METHYL METHACRYLATE)), 6.1, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. on page 10)

GB



Printing date 24.05.2019

Revision: 24.05.2019

Trade name: MANNOL 9927 Fix-Gewinde hochfest 10ml

(Contd. of page 9)

GB

Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 · * **Data compared to the previous version altered.**

Safety data sheet according to 1907/2006/EC, Article 31